INDEX TO AUTHORS

A

ADELMAN, WILLIAM J., JR., and PALTI, YORAM. The influence of external potassium on the inactivation of sodium currents in the giant axon of the squid, *Loligo pealei*, 685

ALPERT, SEYMOUR, MOSHER, MICHAEL, SHANSKE, ALAN, and ARIAS, IRWIN M. Multiplicity of hepatic excretory mechanisms for organic anions, 238

ANDREOLI, THOMAS E., DENNIS, VINCENT W., and WEIGL, ANN M. The effect of amphotericin B on the water and nonelectrolyte permeability of thin lipid membranes, 133

ARCHDEACON, J. W. See WISE and ARCHDEACON, 487

ARIAS, IRWIN M. See ALPERT, MOSHER, SHANSKE, and ARIAS, 238

AUERBACH, A. A., and BENNETT, M. V. L. Chemically mediated transmission at a giant fiber synapse in the central nervous system of a vertebrate, 183

— and —. A rectifying electrotonic synapse in the central nervous system of a vertebrate, 211

B

BAUMANN, FRITZ. See FULPIUS and BAUMANN, 541

BEAN, R. C., SHEPHERD, W. C., CHAN, H., and EICHNER, JOELLEN. Discrete conductance fluctuations in lipid bilayer protein membranes, 741

BENNETT, M. V. L. See AUERBACH and BENNETT, 183, 211

BINSTOCK, LEONARD, and LECAR, HAROLD. Ammonium ion currents in the squid giant axon, 342

BORLE, ANDRÉ B. Kinetic analyses of calcium movements in HeLa cell cultures. I. Calcium influx, 43

—. II. Calcium efflux, 57

BRINLEY, F. J., JR. See MULLINS and BRINLEY, 704

C

CARROLL, P. M. The effect of hypertonic solution on the wet weight and contractions of rat uterus and vas deferens, 590

CARSTEN, MARY E. Role of calcium binding by sarcoplasmic reticulum in the contraction and relaxation of uterine smooth muscle, 414

CAZORT, RALPH J. See OLSON and CAZORT, 311

CHAN, H. See BEAN, SHEPHERD, CHAN, and EICHNER, 741

CURRAN, PETER F. See GOLDNER, SCHULTZ, and CURRAN, 362

D

DAVISON, JOHN. Activation of the ephippial egg of *Daphnia pulex*, 562

DENNIS, VINCENT W. See ANDREOLI, DENNIS, and WEIGL, 133

DICK, D. A. T. Osmotic behavior of hemoglobin in vivo and in vitro, 836

DILL, J. C. See MCCANN and DILL, 385

DOMINGUEZ, G. See FOZZARD and DOMINGUEZ, 530

E

EICHNER, JOELLEN. See BEAN, SHEPHERD, CHAN, and EICHNER, 741

EISENBERG, ROBERT S., and GAGE, PETER W. Ionic conductances of the surface and transverse tubular membranes of frog sartorius fibers, 279

—. See GAGE and EISENBERG, 265, 298

EVANS, MICHAEL L., and RAY, PETER M. Timing of the auxin response in coleoptiles and its implications regarding auxin action, 1

F

FEDDE, M. R. Electrical properties and acetylcholine sensitivity of singly and multiply innervated avian muscle fibers, 624

FLOREY, ERNST. See IWASAKI and FLOREY, 666

FOZZARD, H. A., and DOMINGUEZ, G. Effect of formaldehyde and glutaraldehyde on electrical properties of cardiac Purkinje fibers, 530

FULPIUS, BERNARD, and BAUMANN, FRITZ. Effects of sodium, potassium, and calcium ions on slow and spike potentials in single photoreceptor cells, 541

G

GAGE, PETER W., and EISENBERG, ROBERT S. Action potentials, afterpotentials, and excitation-contraction coupling in frog sartorius fibers without transverse tubules, 298

— and —. Capacitance of the surface and transverse tubular membrane of frog sartorius muscle fibers, 265

—. See EISENBERG and GAGE, 279

GAINER, HAROLD. See LANG and GAINER, 323

GARCÍA ROMEU, FEDERICO, SALIBIÁN, ALFREDO, and PEZZANI-HERNÁNDEZ, SILVIA. The nature of the in vivo sodium and chloride uptake mechanisms through the epithelium of the Chilean frog *Calyptocephalella gayi* (Dum. et Bibr., 1841). Exchanges of hydrogen against sodium and of bicarbonate against chloride, 816

GOLDNER, ANDREW M., SCHULTZ, STANLEY G., and CURRAN, PETER F. Sodium and sugar fluxes across the mucosal border of rabbit ileum, 362

H

HIDAKA, T., and KURIYAMA, H. Responses of the smooth muscle membrane of guinea pig jejunum elicited by field stimulation, 471

I

IMAI, K. See TAKAGI, KITAMURA, IMAI, and TAKEUCHI, 115

IWASAKI, SHIZUKO, and FLOREY, ERNST. Inhibitory miniature potentials in the stretch receptor neurons of crayfish, 666

J

JACKLET, JON W. Electrophysiological organization of the eye of *Aplysia*, 21

JOSEPHSON, ROBERT K., and MACKLIN, MARTIN. Electrical properties of the body wall of *Hydra*, 638

K

KAO, C. Y. See KLEINHAUS and KAO, 758

KITAMURA, H. See TAKAGI, KITAMURA, IMAI, and TAKEUCHI, 115

KLEINHAUS, A. L., and KAO, C. Y. Electrophysiological actions of oxytocin on the rabbit myometrium, 758

KOKETSU, K., and NISHI, S. Calcium and action potentials of bullfrog sympathetic ganglion cells, 608

KURIYAMA, H. See HIDAKA and KURIYAMA, 471

KUTCHAI, HOWARD, and STAUB, NORMAN C. Steady-state, hemoglobin-facilitated oxygen transport in human erythrocytes, 576

L

LANG, MICHAEL A., and GAINER, HAROLD. Volume control by muscle fibers of the blue crab. Volume readjustment in hypotonic salines, 323

LECAR, HAROLD. See BINSTOCK and LECAR, 342

LINDLEY, BARRY D. Nerve stimulation and electrical properties of frog skin, 427

LOEWENSTEIN, W. R. See POLITOFF, SOCOLAR, and LOEWENSTEIN, 498

M

MACHNE, XENIA. See STONEY and MACHNE, 248

MACKLIN, MARTIN. See JOSEPHSON and MACKLIN, 638

MACLEOD, DON P., and PRASAD, K. Influence of glucose on the transmembrane action potential of papillary muscle. Effects of concentration, phlorizin and insulin, nonmetabolizable sugars, and stimulators of glycolysis, 792

MCCANN, G. D., and DILL, J. C. Fundamental properties of intensity, form, and motion perception in the visual nervous systems of *Calliphora phaenicia* and *Musca domestica*, 385

MORITA, HIROMICHI. See SHIRAISHI and MORITA, 450

MOSHER, MICHAEL. See ALPERT, MOSHER, SHANSKE, and ARIAS, 238
MULLINS, L. J., and BRINLEY, F. J., JR. Potassium fluxes in dialyzed squid axons, 704
MUNCK, B. G., and SCHULTZ, STANLEY G. Lysine transport across isolated rabbit ileum, 157

N

NAITOH, YUTAKA. Control of the orientation of cilia by adenosine triphosphate, calcium, and zinc in glycerol-extracted *Paramecium caudatum*, 517
NISHI, S. See KOKETSU and NISHI, 608

O

OKAMOTO, MICHIKO, and RIKER, WALTER F., JR. Motor nerve terminals as the site of initial functional changes after denervation, 70
OLSON, ERIK J., and CAZORT, RALPH J. Active calcium and strontium transport in human erythrocyte ghosts, 311

P

PALTI, YORAM. See ADELMAN and PALTI, 685
PAPPANO, ACHILLES J. See SPERELAKIS and PAPPANO, 97
PEZZANI-HERNÁNDEZ, SILVIA. See GARCÍA ROMEU, SALIBIÁN, and PEZZANI-HERNÁNDEZ, 816
POLITOFF, A. L., SOCOLAR, S. J., and LOEWENSTEIN, W. R. Permeability of a cell membrane junction. Dependence on energy metabolism, 498
PRASAD, K. See MACLEOD and PRASAD, 792

R

RAY, PETER M. See EVANS and RAY, 1
RIKER, WALTER F., JR. See OKAMOTO and RIKER, 70

S

SALIBIÁN, ALFREDO. See GARCÍA ROMEU, SALIBIÁN, and PEZZANI-HERNÁNDEZ, 816
SCHULTZ, STANLEY G. See GOLDNER, SCHULTZ, and CURRAN, 362
—. See MUNCK and SCHULTZ, 157
SHANSKE, ALAN. See ALPERT, MOSHER, SHANSKE, and ARIAS, 238
SHEPHERD, W. C. See BEAN, SHEPHERD, CHAN, and EICHNER, 741
SHIRAISHI, AKIO, and MORITA, HIROMICHI. The effects of pH on the labellar sugar receptor of the fleshfly, 450
SOCOLAR, S. J. See POLITOFF, SOCOLAR, and LOEWENSTEIN, 498
SPERELAKIS, NICK, and PAPPANO, ACHILLES J. Increase in P_{Na} and P_K of cultured heart cells produced by veratridine, 97
STAUB, NORMAN C. See KUTCHAI and STAUB, 576
STONEY, S. D., JR., and MACHNE, XENIA. Mechanisms of accommodation in different types of frog neurons, 248

T

TAKAGI, S. F., KITAMURA, H., IMAI, K., and TAKEUCHI, H. Further studies on the roles of sodium and potassium in the generation of the electroolfactogram. Effects of mono-, di-, and trivalent cations, 115
TAKENAKA, TOSHIFUMI, and YAMAGISHI, SHUNICHI. Morphology and electrophysiological properties of squid giant axons perfused intracellularly with protease solution, 81
TAKEUCHI, H. See TAKAGI, KITAMURA, IMAI, and TAKEUCHI, 115

W

WEBER, A. Parallel response of myofibrillar contraction and relaxation to four different nucleoside triphosphates, 781
WEIGL, ANN M. See ANDREOLI, DENNIS, and WEIGL, 133
WISE, W. C., and ARCHDEACON, J. W. Accumulation of iron in the rabbit erythroid cell as affected by ouabain, sodium and potassium ions, and temperature, 487

Y

YAMAGISHI, SHUNICHI. See TAKENAKA and YAMAGISHI, 81

INDEX TO SUBJECTS

A

Acetylcholine sensitivity and electrical properties of singly and multiply innervated avian muscle fibers, 624
Adenosine triphosphate, calcium, and zinc, control of cilia orientation in glycerol-extracted *Paramecium caudatum* by, 517
Ammonium ion currents in squid giant axon, 342
Amphotericin B, effect on water and nonelectrolyte permeability of thin lipid membranes, 133
Aplysia eye, electrophysiological organization, 21
Auxin response in coleoptiles, implications of timing regarding auxin action, 1
Avian muscle fibers, singly and multiply innervated, electrical properties and acetylcholine sensitivity, 624
Axon, squid giant, ammonium ion currents in, 342
—, squid giant, *Loligo pealei*, influence of external potassium on inactivation of sodium currents in, 685
Axons, squid, dialyzed, potassium fluxes in, 704
—, squid giant, perfused intracellularly with protease solution, morphology and electrophysiological properties, 81

B

Bicarbonate ion exchange against chloride ion and hydrogen ion against sodium ion, nature of in vivo sodium and chloride uptake mechanisms through epithelium of Chilean frog, *Calyptocephalella gayi*, 816
Bullfrog sympathetic ganglion cells, calcium and action potentials, 608

C

Calcium and action potentials of bullfrog sympathetic ganglion cells, 608
—, adenosine triphosphate, and zinc, control of cilia orientation in glycerol-extracted *Paramecium caudatum* by, 517
— binding by sarcoplasmic reticulum, role in contraction and relaxation of uterine smooth muscle, 414
Calcium efflux in HeLa cell cultures, kinetic analyses 57
— influx in HeLa cell cultures, kinetic analyses, 43
—, sodium, and potassium ions, effects on slow and spike potentials in single photoreceptor cells, 541
— and strontium transport, active, in human erythrocyte ghosts, 311
Calliphora phaenicia and *Musca domestica*, visual nervous systems, fundamental properties of intensity, form, and motion perception in, 385
Calyptocephalella gayi, epithelium, nature of in vivo sodium and chloride uptake mechanisms through, exchanges of hydrogen ion against sodium ion and bicarbonate ion against chloride ion, 816
Cardiac Purkinje fibers, electrical properties, effect of formaldehyde and glutaraldehyde, 530
Cell cultures, HeLa, kinetic analyses of calcium efflux in, 57
— cultures, HeLa, kinetic analyses of calcium influx in, 43
—, erythroid, rabbit, accumulation of iron as affected by ouabain, sodium and potassium ions, and temperature, 487
— membrane junction permeability, dependence on energy metabolism, 498
—, morphology and electrophysiological properties of squid giant axons perfused intracellularly with protease solution, 81
Cells, cultured heart, increase in sodium and potassium permeability produced by veratridine, 97
—, ganglion, sympathetic, bullfrog, calcium and action potentials, 608
—, photoreceptor, single, effects of sodium, potassium, and calcium ions on slow and spike potentials in, 541
Chemically mediated transmission at giant fiber synapse in central nervous system of vertebrate, 183
Chilean frog, *Calyptocephalella gayi* (Dum. et. Bibr., 1841), epithelium, nature of in vivo sodium and chloride uptake mechanisms through, exchanges of hydrogen ion against sodium ion and bicarbonate ion against chloride ion, 816

Chloride and sodium, nature of in vivo uptake mechanisms through epithelium of Chilean frog, *Calyptocephalella gayi*, exchanges of hydrogen ion against sodium ion and bicarbonate ion against chloride ion, 816
Cilia orientation in glycerol-extracted *Paramecium caudatum*, control by adenosine triphosphate, calcium, and zinc, 517
Coleoptiles, timing of auxin response in, implications regarding auxin action, 1
Conductance fluctuations, discrete, in lipid bilayer protein membranes, 741
Conductances, ionic, of surface and transverse tubular membranes of frog sartorius fibers, 279
Contraction-excitation coupling, action potentials, and afterpotentials in frog sartorius fibers without transverse tubules, 298
Contraction and relaxation, myofibrillar, parallel response to four different nucleoside triphosphates, 781
— and relaxation of uterine smooth muscle, role of calcium binding by sarcoplasmic reticulum, 414
Contractions and wet weight of rat uterus and vas deferens, effect of hypertonic solution, 590
Crab, blue, muscle fibers, volume readjustment in hypotonic salines, 323
Crayfish stretch receptor neurons, inhibitory miniature potentials in, 666

D

Daphnia pulex, ephippial egg, activation, 562
Denervation, motor nerve terminals as site of initial functional changes after, 70

E

Egg, ephippial, *Daphnia pulex*, activation, 562
Electrolyte, non-, and water permeability of thin lipid membranes, effect of amphotericin B, 133
Electroolfactogram generation, roles of sodium and potassium in, effects of mon-, odi-, and trivalent cations, 115
Electrophysiological actions of oxytocin on rabbit myometrium, 758
— organization of *Aplysia* eye, 21
— properties and morphology of squid giant axons perfused intracellularly with protease solution, 81
Electrotonic synapse, rectifying, in central nervous system of vertebrate, 211
Energy metabolism, dependence of cell membrane junction permeability on, 498
Ephippial egg, *Daphnia pulex*, activation, 562
Epithelium, Chilean frog, *Calyptocephalella gayi*, nature of in vivo sodium and chloride uptake mechanisms through, exchanges of hydrogen ion against sodium ion and bicarbonate ion against chloride ion, 816
Erythrocyte ghosts, human, active calcium and strontium transport in, 311
Erythrocytes, human, steady-state, hemoglobin-facilitated oxygen transport in, 576
Erythroid cell, rabbit, accumulation of iron as affected by ouabain, sodium and potassium ions, and temperature, 487
Excitation-contraction coupling, action potentials, and afterpotentials in frog sartorius fibers without transverse tubules, 298
Excretory mechanisms, hepatic, for organic anions, multiplicity, 238
Eye, *Aplysia*, electrophysiological organization, 21

F

Fiber synapse, giant, in central nervous system of vertebrate, chemically mediated transmission at, 183
Fibers, muscle, avian, singly and multiply innervated, electrical properties and acetylcholine sensitivity, 624
—, muscle, blue crab, volume readjustment in hypotonic salines, 323
—, Purkinje, cardiac, electrical properties, effect of formaldehyde and glutaraldehyde, 530
—, sartorius, frog, ionic conductances of surface and transverse tubular membranes, 279
—, sartorius, frog, without transverse tubules, action potentials, afterpotentials, and excitation-contraction coupling in, 298
—, sartorius muscle, frog, capacitance of surface and transverse tubular membrane, 265
Fleshfly, labellar sugar receptor, effects of hydrogen ion concentration, 450

Formaldehyde and glutaraldehyde, effect on electrical properties of cardiac Purkinje fibers, 530
Frog, Chilean, *Calyptocephalella gayi*, epithelium, nature of in vivo sodium and chloride uptake mechanisms through, exchanges of hydrogen ion against sodium ion and bicarbonate ion against chloride ion, 816
— neurons, mechanisms of accommodation in different types, 248
— sartorius fibers, ionic conductances of surface and transverse tubular membranes, 279
— sartorius fibers without transverse tubules, action potentials, afterpotentials, and excitation-contraction coupling in, 298
— sartorius muscle fibers, capacitance of surface and transverse tubular membrane, 265
— skin, nerve stimulation and electrical properties, 427

G

Ganglion cells, sympathetic, bullfrog, calcium and action potentials, 608
Glucose influence on transmembrane action potential of papillary muscle, effects of concentration, phlorizin and insulin, nonmetabolizable sugars, and stimulators of glycolysis, 792
Glutaraldehyde and formaldehyde, effect on electrical properties of cardiac Purkinje fibers, 530
Glycerol-extracted *Paramecium caudatum*, control of cilia orientation by adenosine triphosphate, calcium, and zinc in, 517
Glycolysis, stimulators of, concentration, phlorizin and insulin, and nonmetabolizable sugars, effects on glucose influence on transmembrane action potential of papillary muscle, 792

H

Heart cells, cultured, increase in sodium and potassium permeability produced by veratridine, 97
HeLa cell cultures, kinetic analyses of calcium efflux in, 57
— cell cultures, kinetic analyses of calcium influx in, 43
Hemoglobin-facilitated, steady-state oxygen transport in human erythrocytes, 576
Hemoglobin, osmotic behavior in vivo and in vitro, 836
Hepatic excretory mechanisms for organic anions, multiplicity, 238
Hydra, body wall, electrical properties, 638
Hydrogen ion against sodium ion and bicarbonate ion against chloride ion, exchanges, nature of in vivo sodium and chloride uptake mechanisms through epithelium of Chilean frog, *Calyptocephalella gayi*, 816
— ion concentration, effects on labellar sugar receptor of fleshfly, 450

I

Ileum, rabbit, isolated, lysine transport across, 157
—, rabbit, mucosal border, sodium and sugar fluxes across, 362
Insulin and phlorizin, concentration, nonmetabolizable sugars, and stimulators of glycolysis, effects on glucose influence on transmembrane action potential of papillary muscle, 792
Iron accumulation in rabbit erythroid cell as affected by ouabain, sodium and potassium ions, and temperature, 487

J

Jejunum, guinea pig, smooth muscle membrane, responses elicited by field stimulation, 471

L

Labellar sugar receptor of fleshfly, effects of hydrogen ion concentration, 450
Letters to Editor, 836
Lipid bilayer protein membranes, discrete conductance fluctuations in, 741
— membranes, thin, effect of amphotericin B on water and nonelectrolyte permeability, 133
Loligo pealei, giant axon, influence of external potassium on inactivation of sodium currents in, 685
Lysine transport across isolated rabbit ileum, 157

M

Man, erythrocyte ghosts, active calcium and strontium transport in, 311
—, erythrocytes, steady-state, hemoglobin-facilitated oxygen transport in, 576

Membrane junction permeability, cell, dependence on energy metabolism, 498
—, smooth muscle, of guinea pig jejunum, responses elicited by field stimulation, 471
—, tubular, surface and transverse, of frog sartorius muscle fibers, capacitance, 265
Membranes, lipid, thin, effect of amphotericin B on water and nonelectrolyte permeability, 133
—, protein, lipid bilayer, discrete conductance fluctuations in, 741
—, tubular, surface and transverse, of frog sartorius fibers, ionic conductances, 279
Metabolism, energy, dependence of cell membrane junction permeability on, 498
Morphology and electrophysiological properties of squid giant axons perfused intracellularly with protease solution, 81
Motor nerve terminals as site of initial functional changes after denervation, 70
Mucosal border of rabbit ileum, sodium and sugar fluxes across, 362
Musca domestica and *Calliphora phaenicia*, visual nervous systems, fundamental properties of intensity, form, and motion perception in, 385
Muscle fibers, avian, singly and multiply innervated, electrical properties and acetylcholine sensitivity, 624
— fibers, blue crab, volume readjustment in hypotonic salines, 323
— fibers, sartorius, frog, capacitance of surface and transverse tubular membrane, 265
— membrane, smooth, of guinea pig jejunum, responses elicited by field stimulation, 471
—, papillary, transmembrane action potential, glucose influence on, effects of concentration, phlorizin and insulin, nonmetabolizable sugars, and stimulators of glycolysis, 792
—, uterine smooth, role of calcium binding by sarcoplasmic reticulum in contraction and relaxation, 414
Myofibrillar contraction and relaxation, parallel response to four different nucleoside triphosphates, 781
Myometrium, rabbit, electrophysiological actions of oxytocin on, 758

N

Nerve stimulation and electrical properties of frog skin, 427
— terminals, motor, as site of initial functional changes after denervation, 70
Nervous system, central, of vertebrate, chemically mediated transmission at giant fiber synapse in, 183
— system, central, of vertebrate, rectifying electrotonic synapse in, 211
— systems, visual, of *Calliphora phaenicia* and *Musca domestica*, fundamental properties of intensity, form, and motion perception in, 385
Neurons, frog, mechanisms of accommodation in different types, 248
—, stretch receptor, crayfish, inhibitory miniature potentials in, 666
Nucleoside triphosphates, four different, parallel response of myofibrillar contraction and relaxation to, 781

O

Organic anions, multiplicity of hepatic excretory mechanisms for, 238
Ouabain, sodium and potassium ions, and temperature, accumulation of iron in rabbit erythroid cell affected by, 487
Oxygen transport, steady-state, hemoglobin-facilitated, in human erythrocytes, 576
Oxytocin, electrophysiological actions on rabbit myometrium, 758

P

Papillary muscle, transmembrane action potential, glucose influence on, effects of concentration, phlorizin and insulin, nonmetabolizable sugars, and stimulators of glycolysis, 792
Paramecium caudatum, glycerol-extracted, control of cilia orientation by adenosine triphosphate, calcium, and zinc in, 517
Permeability of cell membrane junction, dependence on energy metabolism, 498
—, sodium and potassium, of cultured heart cells, increase produced by veratridine, 97
—, water and nonelectrolyte, of thin lipid membranes, effect of amphotericin B, 133
Phlorizin and insulin, concentration, nonmetabolizable sugars, and stimulators of

glycolysis, effects on glucose influence on transmembrane action potential of papillary muscle, 792
Photoreceptor cells, single, effects of sodium, potassium, and calcium ions on slow and spike potentials in, 541
Physiological, electro-, actions of oxytocin on rabbit myometrium, 758
—, electro-, organization of *Aplysia* eye, 21
—, electro-, properties and morphology of squid giant axons perfused intracellularly with protease solution, 81
Potassium, external, influence on inactivation of sodium currents in giant axon of squid, *Loligo pealei*, 685
— fluxes in dialyzed squid axons, 704
—, sodium, and calcium ions, effects on slow and spike potentials in single photoreceptor cells, 541
— and sodium ions, ouabain, and temperature, accumulation of iron in rabbit erythroid cell affected by, 487
— and sodium permeability of cultured heart cells, increase produced by veratridine, 97
— and sodium, roles in generation of electroolfactogram, effects of mono-, di-, and trivalent cations, 115
Protease solution, morphology and electrophysiological properties of squid giant axons perfused intracellularly with, 81
Protein membranes, lipid bilayer, discrete conductance fluctuations in, 741
Purkinje fibers, cardiac, electrical properties, effect of formaldehyde and glutaraldehyde, 530

R

Relaxation and contraction, myofibrillar, parallel response to four different nucleoside triphosphates, 781
— and contraction of uterine smooth muscle, role of calcium binding by sarcoplasmic reticulum, 414
Reticulum, sarcoplasmic, calcium binding by, role in contraction and relaxation of uterine smooth muscle, 414

S

Salines, hypotonic, volume readjustment by blue crab muscle fibers in, 323
Sarcoplasmic reticulum, calcium binding by, role in contraction and relaxation of uterine smooth muscle, 414
Sartorius fibers, frog, ionic conductances of surface and transverse tubular membranes, 279
— fibers, frog, without transverse tubules, action potentials, afterpotentials, and excitation-contraction coupling in, 298
— muscle fibers, frog, capacitance of surface and transverse tubular membrane, 265
Sensitivity, acetylcholine, and electrical properties of singly and multiply innervated avian muscle fibers, 624
Skin, frog, nerve stimulation and electrical properties, 427
Sodium and chloride, nature of in vivo uptake mechanisms through the epithelium of Chilean frog, *Calyptocephalella gayi*, exchanges of hydrogen ion against sodium ion and bicarbonate ion against chloride ion, 816
— currents in giant axon of squid, *Loligo pealei*, influence of external potassium on inactivation, 685
—, potassium, and calcium ions, effects on slow and spike potentials in single photoreceptor cells, 541
— and potassium ions, ouabain, and temperature, accumulation of iron in rabbit erythroid cell affected by, 487
— and potassium permeability of cultured heart cells, increase produced by veratridine, 97
— and potassium, roles in generation of electroolfactogram, effects of mono-, di-, and trivalent cations, 115
— and sugar fluxes across mucosal border of rabbit ileum, 362
Squid axons, dialyzed, potassium fluxes in, 704
— giant axon, ammonium ion currents in, 342
— giant axons perfused intracellularly with protease solution, morphology and electrophysiological properties, 81
—, *Loligo pealei*, giant axon, influence of external potassium on inactivation of sodium currents in, 685
Stimulation, field, responses of smooth muscle membrane of guinea pig jejunum elicited by, 471
—, nerve, and electrical properties of frog skin, 427
Strontium and calcium transport, active, in human erythrocyte ghosts, 311
Sugar receptor, labellar, of fleshfly, effects of hydrogen ion concentration, 450

Sugar and sodium fluxes across mucosal border of rabbit ileum, 362
Sugars, nonmetabolizable, concentration, phlorizin and insulin, and stimulators of glycolysis, effects on glucose influence on transmembrane action potential of papillary muscle, 792
Synapse, fiber, giant, in central nervous system of vertebrate, chemically mediated transmission at, 183
—, rectifying electrotonic, in central nervous system of vertebrate, 211

T

Transmembrane action potential of papillary muscle, glucose influence on, effects of concentration, phlorizin and insulin, nonmetabolizable sugars, and stimulators of glycolysis, 792
Transmission, chemically mediated, at giant fiber synapse in central nervous system of vertebrate, 183
Triphosphate, adenosine-, calcium, and zinc, control of cilia orientation in glycerol-extracted *Paramecium caudatum* by, 517
Triphosphates, nucleoside, four different, parallel response of myofibrillar contraction and relaxation to, 781
Tubular membrane, surface and transverse, of frog sartorius muscle fibers, capacitance, 265
— membranes, surface and transverse, of frog sartorius fibers, ionic conductances, 279
Tubules, transverse, action potentials, after-potentials, and excitation-contraction coupling in frog sartorius fibers without, 298

U

Uterine smooth muscle, role of calcium binding by sarcoplasmic reticulum in contraction and relaxation, 414
Uterus and vas deferens, rat, effect of hypertonic solution on wet weight and contractions, 590

V

Vas deferens and uterus, rat, effect of hypertonic solution on wet weight and contractions, 590
Veratridine, increase in sodium and potassium permeability of cultured heart cells produced by, 97
Vertebrate central nervous system, chemically mediated transmission at giant fiber synapse, 183
— central nervous system, rectifying electrotonic synapse in, 211
Visual nervous systems of *Calliphora phaenicia* and *Musca domestica*, fundamental properties of intensity, form, and motion perception in, 385

W

Water and nonelectrolyte permeability of thin lipid membranes, effect of amphotericin B, 133
Weight, wet, and contractions of rat uterus and vas deferens, effect of hypertonic solution, 590

Z

Zinc, adenosine triphosphate, and calcium, control of cilia orientation in glycerol-extracted *Paramecium caudatum* by, 517